

# SAFETY DATA SHEET

According to OSHA Hazcom Standard 29 CFR 1910.1200  
**HYUNDAI OILBANK Antifreeze Coolant (ENG)**

Date of issue: 2016-06-27

Revision date: Not applicable

Version: 2.0

## 1. IDENTIFICATION

### A. Product name

- HYUNDAI OILBANK Antifreeze Coolant (ENG)

### B. Recommended use and restriction on use

- General use : Antifreeze Coolant
- Restriction on use : Do not use for purposes other than recommended.

### C. Manufacturer / Supplier / Distributor information

#### o Manufacturer information

- Company name : HD HYUNDAI OILBANK
- Address : 17-10, Mabuk-ro 240beon-gil, Giheung-gu, Yongin-si, Gyeonggi-do, Republic of Korea
- Emergency telephone number : 02-500-4500

#### o Supplier/Distributor information

- Company name : HD HYUNDAI OILBANK
- Address : 17-10, Mabuk-ro 240beon-gil, Giheung-gu, Yongin-si, Gyeonggi-do, Republic of Korea
- Emergency telephone number : 02-500-4500

## 2. HAZARD IDENTIFICATION

### A. GHS Classification

- Acute toxicity (oral) : Category4
- Specific target organ toxicity(Repeated exposure) : Category2

### B. GHS label elements

#### o Hazard symbols



#### o Signal words

- Warning

#### o Hazard statements

- H302 Harmful if swallowed
- H373 May cause damage to organs through prolonged or repeated exposure (Refer Section SDS 11)

#### o Precautionary statements

##### 1) Prevention

- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
- P264 Wash hands thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.

##### 2) Response

- P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
- P314 Get medical advice/attention if you feel unwell.
- P330 Rinse mouth.

##### 3) Storage

- Not applicable

##### 4) Disposal

- P501 Dispose of contents/container in accordance with local/regional/national/international regulation

### C. Other hazards which do not result in classification

- Not available

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Trade names and Synonyms	CAS No.	Content(%)
1,2-Ethandiol	1,2-Dihydroxyethane ; Ethylene alcohol ; Ethylene dihydrate ; 2-Hydroxyethanol ; Ethane-1,2-diol ; Monoethylene glycol ;	107-21-1	90~95
Water	Dihydrogen oxide ; Oxidane	7732-18-5	3~8
Dipotassium hydrogenorthophosphate	Potassium hydrogen phosphate ; Potassium phosphate, dibasic ; Dipotassium hydrogen phosphate ; Propanoic acid, 2-hydroxy-, ethyl ester, (2S)- ; Propanoic acid, 2-hydroxy-, ethyl ester, (2S) ; ethyl (S)-2-hydroxypropionate ; Propanoic acid, 2-hydroxy-, ethyl ester, (S)- ; LACTATE, ETHYL, L-(-) ; (-)-Ethyl 2-hydroxypropanoate ; (-)-Ethyl 2-hydroxypropionate ;	7758-11-4	0.5~1.5

## 4. FIRST AID MEASURES

### A. Eye contact

- Do not rub your eyes.
- Immediately flush eyes with plenty of water for at least 15 minutes and call a doctor/physician.
- Get medical attention immediately.

### B. Skin contact

- Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
- Wash contaminated clothing thoroughly before re-using.
- Get medical attention immediately.

### C. Inhalation contact

- Take specific treatment if needed.
- When exposed to large amounts of steam and mist, move to fresh air.
- Get medical attention immediately.

### D. Ingestion contact

- Please be advised by doctor whether induction of vomit is demanded or not.
- Rinse your mouth with water immediately.
- Get medical attention immediately.

### E. Delayed and immediate effects and also chronic effects from short and long term exposure

- Not available

### F. Notes to physician

- Notify medical personnel of contaminated situations and have them take appropriate protective measures.

## 5. FIREFIGHTING MEASURES

### A. Suitable (Unsuitable) extinguishing media

- Avoid use of water jet for extinguishing
- Dry chemical, carbon dioxide, regular foam extinguishing agent, spray

### B. Specific hazards arising from the chemical

- Harmful if swallowed
- May cause damage to organs through prolonged or repeated exposure (Refer Section SDS 11)

### C. Special protective actions for firefighters

- Avoid inhalation of materials or combustion by-products.
- Cool containers with water until well after fire is out.
- Do not approach the tank surrounded by fire until it is extinguished.
- In case of conflagration, use automatic fire sprinkler. Major fire may require withdrawal, allowing the object itself to burn.

- Keep unauthorized personnel out.

## 6. ACCIDENTAL RELEASE MEASURES

### A. Personal precautions, protective equipment and emergency procedures

- Do not touch spilled material. Stop leak if you can do it without risk.
- Handle the damaged containers or spilled material after wearing appropriate protective equipment
- Move container to safe area from the leak area.
- Must work against the wind, let the upwind people to evacuate.
- Remove all sources of ignition.

### B. Environmental precautions

- If large amounts have been spilled, inform the relevant authorities.
- Prevent runoff and contact with waterways, drains or sewers.

### C. Methods and materials for containment and cleaning up

- Appropriate container for disposal of spilled material collected.
- Dike for later disposal.
- Disposal of waste shall be in compliance with the Wastes Control Act
- Large spill : Stay upwind and keep out of low areas. Dike for later disposal.
- Notify the central and local government if the emission reach the standard threshold.

## 7. HANDLING AND STORAGE

### A. Precautions for safe handling

- Avoid contact with incompatible materials.
- Avoid direct physical contact.
- Comply with all applicable laws and regulations for handling
- Dealing only with a well-ventilated place.
- Do not handle until all safety precautions have been read and understood.

### B. Conditions for safe storage, including any incompatibilities

- Avoid direct sunlight.
- Check regularly for leaks.
- Do not apply any physical shock to container.
- Do not apply direct heat.
- Do not use damaged containers.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### A. Exposure limits

- o ACGIH TLV
  - [1,2-Ethanedio] : TWA 25 ppm, STEL 50 ppm (10 mg/m<sup>3</sup>)
- o OSHA PEL
  - Not applicable

### B. Engineering controls

- Business owner is recommended to maintain below recommended exposure limits for the working place with general exhaust of gas/vapour/mist/fume.

### C. Individual protection measures, such as personal protective equipment

- o Respiratory protection
  - Any air-purifying respirator with a full facepiece and an organic vapor canister.
  - Any chemical cartridge respirator with a full facepiece and organic vapor cartridge(s).
  - Any chemical cartridge respirator with organic vapor cartridge(s).
  - Consider warning properties before use.
  - For Unknown Concentration or Immediately Dangerous to Life or Health : Any supplied-air respirator with full facepiece and operated in a pressure-demand or other positive-pressure mode in combination with a separate escape supply. Any self-contained breathing apparatus with a full facepiece.
  - Respiratory protection is ranked in order from minimum to maximum.

- Under conditions of frequent use or heavy exposure, Respiratory protection may be needed.
- **Eye protection**
  - Provide an emergency eye wash station and quick drench shower in the immediate work area.
  - Wear primary eye protection such as splash resistant safety goggles with a secondary protection face shield.
- **Hand protection**
  - Wear appropriate chemical resistant glove.
- **Skin protection**
  - Wear appropriate chemical resistant protective clothing.
- **Others**
  - Not available

## 9. PHYSICAL AND CHEMICAL PROPERTIES

A. Appearance	
- Appearance	Liquid
- Color	Red
B. Odor	amonia flavor
C. Odor threshold	Not Available
D. pH	7.0-8.0
E. Melting point/Freezing point	Not Available / -34°C
F. Initial Boiling Point/Boiling Ranges	> 180°C
G. Flash point	> 120°C
H. Evaporation rate	Not Available
I. Flammability(solid, gas)	Not Available
J. Upper/Lower Flammability or explosive limits	15.3% / 3.2%
K. Vapour pressure	0.05 mmHg (20°C)
L. Solubility	Soluble (Water)
M. Vapour density	Not Available
N. Specific gravity(Relative density)	1.13
O. Partition coefficient of n-octanol/water	Not Available
P. Autoignition temperature	Not Available
Q. Decomposition temperature	Not Available
R. Viscosity	36.01 cSt at 15°C, 18.09 cSt at 25°C
S. Molecular weight	Not Available

## 10. STABILITY AND REACTIVITY

### A. Chemical Stability

- This material is stable under recommended storage and handling conditions.

### B. Possibility of hazardous reactions

- Hazardous Polymerization will not occur.

### C. Conditions to avoid

- Avoid : Accumulation of electrostatic charges, Heating, Flames and hot surfaces
- Avoid contact with incompatible materials and condition.

### D. Incompatible materials

- Not available

### E. Hazardous decomposition products

- May emit flammable vapour if involved in fire.

## 11. TOXICOLOGICAL INFORMATION

### A. Information on the likely routes of exposure

- **Respiratory tracts**
  - Not available
- **Oral**

- Harmful if swallowed
- **Eye/Skin**
  - Not available

## B. Delayed and immediate effects and also chronic effects from short and long term exposure

- **Acute toxicity**
  - \* **Oral**
    - Product (ATEmix) : >5000mg/kg
    - [1,2-Ethanediol] : LD50 300~2000 mg/kg (EU Harmonized Cat. 4) (ECHA)
    - [Water] : LD50 > 90000 mg/kg Rat (LD50 > 90 ml/kg) (HSDB)
    - [Dipotassium hydrogenorthophosphate] : LD50 > 2000 mg/kg bw Rat (OECD Guideline 420, GLP) (ECHA)
  - \* **Dermal**
    - Product (ATEmix) : >5000mg/kg
    - [1,2-Ethanediol] : LD50 >3500 mg/kg Mouse (ECHA)
    - [Dipotassium hydrogenorthophosphate] : LD50 > 2000 mg/kg bw Rat (OECD Guideline 402, GLP) (ECHA)
  - \* **Inhalation**
    - Product (ATEmix) : 2.0mg/L 4hr < ATEmix <= 10.0mg/L 4hr
    - [1,2-Ethanediol] : Aerosol LC50 > 2.5 mg/L 6 hr (conversion to > 3.75 mg/L 4 hr )Rat (ECHA)
    - [Dipotassium hydrogenorthophosphate] : Dust LC50 > 0.83 mg/L 4 h Rat No death, Not classified (EPA OPP 81-3, GLP) (ECHA)
- **Skin corrosion/irritation**
  - Not available
- **Serious eye damage/irritation**
  - Not available
- **Respiratory sensitization**
  - Not available
- **Skin sensitization**
  - Not available
- **Carcinogenicity**
  - \* **IARC**
    - Not available
  - \* **OSHA**
    - Not available
  - \* **ACGIH**
    - [1,2-Ethanediol] : A4
  - \* **NTP**
    - Not available
  - \* **EU CLP**
    - Not available
- **Germ cell mutagenicity**
  - Not available
- **Reproductive toxicity**
  - Not available
- **STOT-single exposure**
  - Not available
- **STOT-repeated exposure**
  - May cause damage to organs through prolonged or repeated exposure (Refer Section SDS 11)
- **Aspiration hazard**
  - Not available

## 12. ECOLOGICAL INFORMATION

### A. Ecotoxicity

- **Fish**
  - [1,2-Ethanediol] : LC50 >72860 mg/l 96 hr Pimephales promelas, NOEC 15380 mg/L 7 d Pimephales promelas (ECHA)
  - [Dipotassium hydrogenorthophosphate] : LC50 > 100 mg/L 96 hr Oncorhynchus mykiss (OECD Guideline 203, GLP) (ECHA)
- **Crustaceans**
  - [1,2-Ethanediol] : EC50 >100 mg/l 48 hr Daphnia magna (OECD TG 202, GLP), NOEC 8590 mg/L 7 d Ceriodaphnia dubia (ECHA)
  - [Dipotassium hydrogenorthophosphate] : EC50 > 100 mg/L 48 hr Daphnia magna (OECD Guideline 202, GLP) (ECHA)

- **Algae**

- [1,2-Ethanediol] : EC50 6500 ~ 13000 mg/ℓ 96 hr Raphidocelis subcapitata (EPA 600/9-78-018) (ECHA)
- [Dipotassium hydrogenorthophosphate] : EC50, NOEC > 100 mg/L 72 hr Desmodesmus subspicatus (OECD Guideline 201, GLP) (ECHA)

## **B. Persistence and degradability**

- **Persistence**

- [1,2-Ethanediol] : log Pow -1.36 (ECHA)
- [Water] : log Kow = -1.38 (HSDB)

- **Degradability**

- Not available

## **C. Bioaccumulative potential**

- **Bioaccumulative potential**

- Not available

- **Biodegradation**

- [1,2-Ethanediol] : DOC removal 90 ~ 100 % degradation, 10 d Readily biodegradable (ECHA)

## **D. Mobility in soil**

- Not available

## **E. Other adverse effects**

- Not available

# **13. DISPOSAL CONSIDERATIONS**

## **A. Disposal methods**

- It shall be treated by incineration
- Oil water separation technology shall be applied as pre-waste treatment if it is applicable
- Stabilization and minimization treatment by incineration or similar method can be applied, if more than two kinds of designated wastes are in mixture state and it is impractical to separate them

## **B. Special precautions for disposal**

- Anyone with business license number who generates industrial wastes shall treat the waste by him/herself or by entrusting to the legal entities who treat the wastes, recycle the wastes of others or install and operate the waste treatment facilities according to the Wastes Control Act
- Dispose of waste in accordance with all applicable laws and regulations.

# **14. TRANSPORT INFORMATION**

## **A. UN No. (IMDG CODE/IATA DGR)**

- 1993

## **B. Proper shipping name**

- FLAMMABLE LIQUIDS, N.O.S.

## **C. Hazard Class**

- 3

## **D. IMDG CODE/IATA DGR Packing group**

- III

## **E. Marine pollutant**

- Not applicable

## **F. Special precautions for user related to transport or transportation measures**

- Local transport follows in accordance with Dangerous goods Safety Management Law.
- Package and transport follow in accordance with Department of Transportation (DOT) and other regulatory agency requirements.
- EmS FIRE SCHEDULE : F-E (Non-water-reactive flammable liquids)
- EmS SPILLAGE SCHEDULE : S-E (Flammable liquids, floating on water)

## 15. REGULATORY INFORMATION

### A. National and/or international regulatory information

- **POPs Management Law**
  - [1,2-Ethanediol] : Not applicable
  - [Water] : Not applicable
  - [Dipotassium hydrogenorthophosphate] : Not applicable
- **Information of EU Classification**
  - \* **Classification**
    - [1,2-Ethanediol] : H302
- **U.S. Federal regulations**
  - \* **OSHA PROCESS SAFETY (29CFR1910.119)**
    - Not applicable
  - \* **CERCLA Section 103 (40CFR302.4)**
    - [1,2-Ethanediol] : 2267.995 kg 5000 lb
  - \* **EPCRA Section 302 (40CFR355.30)**
    - Not applicable
  - \* **EPCRA Section 304 (40CFR355.40)**
    - Not applicable
  - \* **EPCRA Section 313 (40CFR372.65)**
    - [1,2-Ethanediol] : Applicable
- **Rotterdam Convention listed ingredients**
  - Not applicable
- **Stockholm Convention listed ingredients**
  - Not applicable
- **Montreal Protocol listed ingredients**
  - Not applicable

## 16. OTHER INFORMATION

### A. Reference

- The information contained herein is believed to be accurate. It is provided independently of any sale of the product for purpose of hazard communication. It is not intended to constitute performance information concerning the product. No express warranty, or implied warranty of merchantability or fitness for a particular purpose is made with respect to the product or the information contained herein.
- This Safety Data Sheet was compiled with data and information from the following sources: KOSHA, NITE, ESIS, NLM, SIDS, IPCS

### B. Issue date

- 2016-06-27

### C. Revision number and Last date revised

- Not applicable

### D. Other

- This SDS is prepared according to the Globally Harmonized System (GHS).